

Trade name: Concept "915"

### 1 Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

• Trade name: Concept "915"

Article number: GL55 ST-717 2308589

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the preparation Basic Cleaner

• 1.3 Details of the supplier of the Safety Data Sheet

Stearns Packaging Corporation 4200 Sycamore Avenue (53714) PO Box 14495

Madison, WI 53708 Phone: 800-655-5008

Email: stearns@stearnspkg.com Website: www.stearnspkg.com

• 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

### 2 Hazards identification

- 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC



C; Corrosive

R34: Causes burns.

• Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data. The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

2.2 Label elements

Labeling according to Regulation (EC) No 1272/2008

The product is classified and labeled according to the CLP regulation.

(Contd. on page 2)

Trade name: Concept "915"

### Hazard pictograms

(Contd. from page 1)



GHS05

• Signal word Danger

· Hazard-determining components of labelling:

tetrasodium ethylenediaminetetraacetate

Hazard statements

H314 Causes severe burns and eye damage.

Precautionary statements

P280 Wear protective gloves / eye protection.
P260 Do not breathe mist/vapors/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

## 3 Composition/information on ingredients

• 3.2 Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		•
CAS: 64-02-8	tetrasodium ethylenediaminetetraacetate	<25%
EINECS: 200-573-9	Xn R22; Xi R41	
Index number: 607-428-00-2	Eye Dam. 1, H318	
	◆ Acute Tox. 4, H302	
CAS: 5064-31-3	trisodium nitrilotriacetate	<1%
EINECS: 225-768-6	Xn R22-40; Xi R35	
Index number: 607-620-00-6	Carc. Cat. 3	
	<b>&amp;</b> Carc. 2, H351	
	•• Acute Tox. 4, H302; Eye Irrit. 2A, H319	

• Additional information: For the wording of the listed risk phrases refer to section 16.

### 4 First-aid measures

- 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

Seek immediate medical help for blistering or open wounds.

(Contd. on page 3)

Trade name: Concept "915"

(Contd. from page 2)

### · After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

### After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

### • 4.2 Most important symptoms and effects, both acute and delayed

Caustic effect on skin and mucous membranes.

Breathing difficulty

Headache

Dizziness

Cramp

Gastric or intestinal disorders.

Coughing

Nausea

#### Hazards

Danger of gastric perforation.

Danger of severe eye injury.

Danger of impaired breathing.

Danger of disturbed cardiac rhythm.

### 4.3 Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary oedema.

### 5 Fire-fighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

• Additional information No further relevant information available.

### 6 Accidental release measures

### • 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

• 6.2 Environmental precautions: No special measures required.

(Contd. on page 4)

Trade name: Concept "915"

(Contd. from page 3)

### • 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Clean the affected area carefully; suitable cleaners are:

Warm water.

### • 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### • 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

- Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

• Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

### • Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from freezing.

• 7.3 Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs** No further relevant information available.
- PNECs No further relevant information available.
- Additional information: The lists valid during the making were used as basis.
- 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

(Contd. on page 5)

Trade name: Concept "915"

Wash hands before breaks and at the end of work.

(Contd. from page 4)

Avoid contact with the eyes and skin.

Do not inhale gases / fumes / aerosols.

Clean skin thoroughly immediately after handling the product.

### • Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

For spills, respiratory protection may be advisable.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### • Eye protection:

Contact lenses should not be worn.



Safety glasses

- Body protection: Alkaline resistant protective clothing
- Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

### 9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- Appearance:

Form: Liquid Green
• Odor: Pleasant

• Odor threshold: Not determined.

(Contd. on page 6)

Trade name: Concept "915"

	(Contd. from page
• pH-value at 20 °C:	12.0 - 13.0 for concentrate
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
• Flash point:	Not applicable.
• Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C:	23 hPa
Density at 20 °C:	1.08 g/cm <sup>3</sup>
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Fully miscible.
Partition coefficient	
(n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

## 10 Stability and reactivity

- 10.1 Reactivity Not determined.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

### • 10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

Reacts with strong acids.

Reacts with certain metals.

### • 10.4 Conditions to avoid

Store away from oxidizing agents.

Keep away from heat and direct sunlight.

• 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Trade name: Concept "915"

• 10.6 Hazardous decomposition products:

(Contd. from page 6)

Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

### 11 Toxicological information

### •11.1 Information on toxicological effects

- Acute toxicity: >1,780 mg./kg., Oral LD50
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

## 12 Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability biodegradable
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- Remark: After neutralization a reduction of the harming action may be recognized
- Additional ecological information:
- General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous. Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

This statement was deduced from the properties of the single components.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Water Hazard Class (Self-classification) in the concentrate.

- 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

Trade name: Concept "915"

(Contd. from page 7)

## 13 Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14 Transport information	
• 14.1 UN-Number • DOT-AIR, ADR, ADN, IMDG, IATA	UN3266
• 14.2 UN proper shipping name • DOT- LAND	Cleaning compounds, NOI, liquid.
• DOT- AIR, IMDG, IATA	Corrosive liquid, basic, inorganic, n.o.s. (tetrasodium ethylenediaminetetraacetate, sodium hydroxide), 8, PG III. Ltd. Qty.
• ADR	3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (tetrasodium ethylenediaminetetraacetate, sodium hydroxide)
• 14.3 Transport hazard class(es)	
• DOT-LAND	
• Class	Not Regulated
• Label	N/A
•ADR	
COMMENT	
• Class	8 (C5) Corrosive substances.
Label	8
• DOT-AIR, IMDG, IATA	
$\Diamond$	
• Class	8 Corrosive substances.
Label	LTD. QTY.
• 14.4 Packing group • DOT, ADR, IMDG, IATA	III

Trade name: Concept "915"

	(Contd. from pag
• 14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive Substances
Danger Code:	80
• EMS Number	F-A,S-B
Segregation groups	Alkalis
• 14.7 Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
• ADR	
• Limited quantities (LQ)	5L
Transport category	3
Tunnel restriction code	E
• UN "Model Regulation":	UN3266, CORROSIVE LIQUID, BASIC, INORGANIC,
-	N.O.S., 8, III, Ltd. Qty.

### 15 Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65 (California):
- Chemicals known to cause cancer:

5064-31-3 trisodium nitrilotriacetate

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

Trade name: Concept "915"

(Contd. from page 9)

### TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### • NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- Canada
- Canadian Domestic Substances List (DSL)

All ingredients are listed.

### • Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

### Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

R22 Harmful if swallowed.

R36 Irritating to eyes.

R40 Limited evidence of a carcinogenic effect.

R41 Risk of serious damage to eyes.

### • NFPA ratings (scale 0 - 4)



Health = 2

Fire = 0

Reactivity = 0

MSDS File Name: GL55 Concept 915 SDS

(Contd. on page 11)

Trade name: Concept "915"

(Contd. from page 10)

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LD50: Lethal dose, 50 percent

#### Sources

SDS Prepared by: JBE Revision: 10/26/2023

Stearns Packaging Corporation makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Stearns Packaging Corporation as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Stearns Packaging Corporation assume any liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. Stearns Packaging Corporation does not recommend blending this product with any other chemicals. All information, recommendations and data contained herein concerning this product are based upon information available at the time of writing from recognized technical sources.